

# Waibira Community Chimpanzees

(Hobaiteer 2011; last update in April 2020)

\* core females seen most weeks; \*\* peripheral females seen most months; \*\*\* rare females seen a few times a year or less

## FEMALES & THEIR OFFSPRING

**AKK Akiki\*\*** (1988 ± 3yrs) adult: Hair on top of head sticks up around medium size bald spot. Wide nostrils, long face, very long body hair.

**ARD Ardbeg** ♂ (AKK1; 2005 ± 1yr) adult: Dent down middle of nose, relatively flat brow ridge, big ears.

**AIM Aimee** ♀ (AKK2; 1 Oct 2015 ± 2weeks) juvenile.

**ARU Arua\*\*** (1981 ± 5yrs) adult: Clear scar/lump on right-hand side of flat broad nose, small but clear bald patch, deep-set eyes under very prominent brow ridge that continues around eyes, very large round ears, small tidy white beard under chin.

**AND Andrua** ♂ (ARU1; 2008 ± 1yr) subadult: Small widows peak, strong brow-ridge, fold across the inside centre of left ear, June 2012 – firstly seen with snare injury, missing left hand above wrist.

**ASM Asimwe** ♀ (ARU2; August 2013 ± 1month) juvenile.

**BAH Bahati\*** (15 Dec 1994 ± 1wk) adult: Born in Sonso, well habituated, relatively small head compared to body, pointy head, small ears, upturned nose.

**BAL Balvenie** ♂ (BAH1; 30th Sept 2012 ± 1 wk – disappeared end of Oct 2014)

**BRI Brian** ♂ (BAH2; 15<sup>th</sup> Nov 2015 ± 1wk) juvenile.

**BYZ Byazi\*\*** (1987 ± 3yrs) adult: Large, very bald, head; very large round ears that stick out, right ear missing a corner at the top, deep dent in centre of the nose. Name means sweet potato because of her head shape.

**BAR Baraka** ♂ (BYZ1; April 2012 ± 1month) juvenile.

**BTK Bitakuli** ♀ (BYZ2; August 2017 ± 3months - Dec 2018) infant. Name means potato (family trait). BYZ seen without BTK from Jan 2019 (camera trap).

**BYZ3 BYZ3** ♀ (BYZ3; 18 June ± 1d – 24 June 2019) infant. Unnamed, infanticide by MON, then cannibalized.

**CHP Chapati\*\*\*** (1990 ± 5yrs) adult: Right hand maimed and fingers wasted. Large bald spot, strong brow ridge continues to side of eyes. Big ears, large part missing of top left ear. Rarely seen.

**CAE Caelidh** ♀ (CHP1; 2007 ± 1yr), subadult.

**CIS Ciska** ♀ (CHP2; Sept 2012; ± 3months), juvenile.

**DAD Dada\*\*\*** (1987 ± 5yrs) adult: Round body and face, pointy mouth, ears flat to side of face, long hair on both sides of cheeks, small nose with wide elongated nostrils.

**DUN Dun-Edin** ♂ (DAD1; 2005 ± 1yr), adult: Long brown face, dark patches on both sides of nose, long round ears, nose and eye-brow ridge resembles Dada.

**DAD2 DAD2** ♀ (DAD2; 2010 ± 6mo), confirmed from camera-trap in March 2013; unknown if still alive as DAD is v. rarely seen.

**DAV David** ♂ (DAD3; 6<sup>th</sup> August 2013; ± 1 month), juvenile.

**DAI Daima\*\*\*** (1987 ± 5yrs) adult: Long face, pointy-head with round bald patch, big round sticking out ears. Long hair at sides of ears. Round and protruded eye brow ridge.

## Waibira Community Chimpanzees

(Hobaite 2011; last update in April 2020)

- DAU Daudi** ♂ (DAI1; 2004 ±1 yr), Adult: Very pointy head, big brown circular ears, dimpled face, appears to have old snare injury to left hand. Often moves independently. (Daudi is the name David in Runyoro, David was chosen because he was courageous when young, going alone in the tree without his mother).
- DAR Darwin** ♂ (DAI2; 2010 ± 1yr), subadult: brown face, long hair around face, small bald spot, pointy-head
- DAW Dawa** ♀ (DAI3; Feb 2016 ± 6mo), infant.
- EIL Eili**\*\* (12yrs; 2006 ± 1yr) Subadult female, relatively calm from outset, stayed as Str ‘dark face female’ for 2-years because of concerns she may be Caelidh (CAE), but no way of confirming, so named as Eili in June 2018.
- HOB Hobaite**\*\*\* (1980 ± 5yrs) adult: Distinctive strong white beard, eyes close together, V-shaped notch missing from left ear.
- HAR Harris** ♂ (HOB1; 2009 ± 1yr), Subadult.
- HOB2 HOB2** ♂ (HOB2, 1<sup>st</sup> seen on camera trap Jan 2017; born 2015 ±6mo). Sexed 17<sup>th</sup> April 2018.
- IMP Impia*\*\*\* (2006 ± 1yr) Light brown face, rounded body with large belly (possibly an orphan). Two symmetrical bald spots on top of head, wrinkles beneath eyes. (Last seen 2015 – dead/emigrated.)
- ISO Isolde* (1996 ± 2yrs) Looks like Nora, darker face, deep eyes and nervous. (Last seen 2011 – dead/emigrated).
- JIN Jinja**\* (1988 ± 3yrs) adult: missing right hand above wrist, big protrusive ears, flat nose. Small white beard and large bald spot.
- JNO Jino** ♂ (2008 ± 1yr), subadult: from 8th May 2015 JIN was seen regularly moving with him since he was a young juvenile (her infant or orphan is unclear).
- JIN1 JIN1** ? (JIN1; 15/10/2019 ± 2weeks, first seen on 16<sup>th</sup> Nov 2019, last seen without 23/7/2019).
- KET Keti**\* (1 Sept 1998 ± 1wk) adult: Brown face with dark spots under her eyes, medium-sized neat bald spot, big brown ears. Thin arms and legs. Sonso immigrant.
- KYO Karyo* ♀ (KET1; 2yrs, 1 Dec 2015 ± 1wk – 7<sup>th</sup> Jan 2018). Died probable respiratory infection. KET carried the dead infant for 18 days.
- KET2 KET2** ♀ (KET2 1 Dec 2019 ±5days; first seen 6/12/2019, last seen without 24/11/2019).
- KID Kidepo**\* (1978 ± 5yrs) adult: Small bodied, very pointy-head, bald patch on forehead, ears flat to the head, folded on top, small notch on the top of left ear, grey legs. Almost certainly the mother of Ila (travel together in family group, begs from her, shares food), and possibly mother to Kasongoire; so KAR marked as KID2 (but may be KID3).
- ILA Ila** ♂ (KID2; 1999 ± 1yr), adult: Dark long face. Confirmed adult son with 2019 genetics.
- KAR Karamoja** ♀ (KID3; 2009 ± 1 yr), subadult: very long hair around face and over body, large ears but flat to head, pointy-head with small bald-patch.
- KIB Kibale** ♀ (KID4; 1<sup>st</sup> Sept 2016 ± 1wk), infant. Thin scar along top of the head – may heal.

## Waibira Community Chimpanzees

(Hobaiteer 2011; last update in April 2020)

- KIP Kipepeo\*** (1997 ± 1yr) adult: Protruding butterfly shaped ears, medium deep dimples, thick eyebrow ridge, deep set eyes, very small bald patch with thin hair, grey face.
- KIL Kilimanjaro** ♂ (KIP1; 1<sup>st</sup> Mar 2014 ± 1 week), juvenile: seen in December 2014 with a deep wide injury across forehead, permanent scar.
  - KEN Kenya** ♀ (KIP2; 13<sup>th</sup> Sept 2019 ± 1d; first seen 14<sup>th</sup> Sept 2019; last seen without 12/9/2019).
- LIR Liran\*** (1981 ± 5yrs) adult: Deep eyes, heart-shaped rounded brow ridge around eyes and wrinkles around and under eyes, small nose with center dent, Small bald patch. Ears and head rounded.
- LAN Lahni** ♂ (LIR1; 2002 ± 1yr) adult: Brown long face, very large round ears. Long wrinkled/wizened face with close-set eyes. Snare wire around left four fingers just above thumb – Jul 2011 (Nov 2011- was first seen without the snare).
  - LKU Lokuyu** ♂ (LIR2; 2010 ± 6mo) subadult: Large very round bowling-ball head, bald patch with hair swept back from forehead. Brow-ridge has a prominent cleft over each eye. Long thin arms and legs.
  - LAM Lamon** ♂ (LIR3; 1st Oct 2015 ± 2weeks), juvenile. Very large bald patch and large rounded ears.
- LOT Lotty\*** (1984 ± 5yrs) adult: Long face, big bald patch; big ears, flat and wide nose, heart shaped eye-brow ridge. Brown/grey hair on back, sclera visible if looking down or to sides. Dark patches on top of swelling. (Sister to NEV and GER?).
- LIZ Liz** ♀ (LOT1; 2011 ± 6mo), juvenile. Big ears, heart shaped brow ridge, bald patch on top of head like mother. Very light golden-brown eyes.
  - LOT2 LOT2 unsexed (LOT2; possibly born premature, 21<sup>st</sup> Nov 2017 – 21<sup>st</sup> Nov 2017)*
  - LTS Lotus** ♀ (LOT3; ± 11<sup>th</sup> November ± 1d 2018) large growth in mouth, small for her age. (1<sup>st</sup> seen 13<sup>th</sup> Nov).
- MSD Masindi\*\*\*** (1985 ± 3yrs) adult: Very strong rounded brow ridge, short scrubby hair on top of head, big protrusive ears. Snare injury to left foot – toes appear clenched, possible snare injury to right hand.
- MER Merkley** ♂ (MSD1; 10yrs; 2008 ± 1yr), Subadult; brown freckled face, strong brow ridge like mother.
  - MSD2 MSD2 unsexed (MSD2; Sept 2012 – ???) not present in 2014*
  - MIK Micky** ♂ (MSD3; Feb 5<sup>th</sup> 2014 ± 1day), juvenile. Very large round ears. Seen on camera-trap with umbilical cord on Feb 6<sup>th</sup>.
- MAT Mathaai\*\*\*** (1990 ± 2yrs) adult: Snare injury on both hands- right hand missing, left hand is badly hooked. Big round ears, bald head, small white beard and sunken eyes. Feb 2013 was seen on camera traps with infant, Apr 2013 observed with infant on FE tree. April 2016 seen with new infant, Jan 2017 seen without infant on camera trap (may have died much earlier) and with badly swollen left foot (injury/snare unclear).
- MAT1 MAT1 unsexed (MAT1; Dec 2012 ± 1 wk - ?? April 2013)*
  - MAT2 MAT2 unsexed (MAT2; Feb 2016 ± 1 month - ?? Jan 2017)*
  - MAT3 MAT3 unsexed (MAT3; 1<sup>st</sup> March 2018 ± 2 wks - ?? 2018) 1<sup>st</sup> seen 21<sup>st</sup> April 2018; seen on camera trap without infant from Jan 2019.*

## Waibira Community Chimpanzees

(Hobaitei 2011; last update in April 2020)

- MON Monika\*** (13 July 2003 ± 2wks) adult: freckled face, round body, long hair, white beard, Sonso immigrant arrived in Sept 2014.  
*MON1 MON1 unsexed (MON1; (5<sup>th</sup> Sept 2017 ± 1 wk - 16<sup>th</sup> Sept 2017; infanticide, 1<sup>st</sup> seen with infant on 12<sup>th</sup> Sept).*
- MUK Muko** ♀ (MON2; 2019; 26<sup>th</sup> Jan 2019 ± 2 days). 1<sup>st</sup> seen 31<sup>st</sup> Jan 2019. Named for the ‘in-laws’ as Waibira and Sonso are one big family. Strong white beard.
- NEV Ndito-Eve\*** (1984 ± 3yrs) adult: Short white beard, close cropped hair, distinctive white sclera on left eye, crooked swelling.
- NAT Natan** ♂ (NEV1; 2006 ± 1 yr) subadult: Big ears, very independent, calm with observers.
- NOA Noah** ♂ (NEV2; 2010 ± 6 mo) subadult: Light brown face, big ears, almond eyes.
- NIM Nimba** ♀ (NEV3; 15 Aug 2015 ±2 weeks) juvenile.
- NGO Ngogo** ♂ (NEV4; 11<sup>th</sup> Sept 2019; first seen 11/9/2019, last seen without 10/9/2019).
- NOR Nora\*** (Feb 1996 ± 3wks) adult: Born in Sonso, right hand snare injured but hard to see now, very well habituated.
- NAR Naril* ♀ (NOR1; 1 August 2012 ± 1 week – 17 August 2012)
- NAL Nalala** ♂ (NOR2; 24<sup>th</sup> July 2013 ± 1 week) juvenile.
- NOR3 NOR3* ♂ (NOR3; XX October 2019 ± Xd – 3/11/2019; first seen 3/10/2019; last seen without XtbcX; first seen without 4/11/2019)
- ONY Onyofi\*** (1999 ± 2yrs) adult: flat eyebrow ridge, right hand is hooked from snare with extended index finger, bald patch on top of head, side-burns, pointy shaped head. (Onyofi = finger).
- PEN Penelope\*\*** (1987 ± 3yrs) adult: Right ear is badly torn, big bodied, short hair on top of the head.
- PHI Philipo** ♂ (PEN1; 2008 ± 1yr), subadult: Snare injury- missing left foot from the ankle down, long hair, big ears, lots of wrinkles on face. Jan 2013 was seen with a snare wire to right hand, as of Aug 2013 snare wire still there, wire gone Dec 2014.
- PAV Pavela** ♀ (PEN2; 18<sup>th</sup> Oct 2013 ±2wks), juvenile. Very long hair around face.
- PLI Pili pili** ♀ (PEN3; 28<sup>th</sup> July 2018 ±1d), infant. Very large and hairy for age.
- QEN Queen\*\*** (2003 ± 1yr) adult: first seen Jan 2017, calm, brown face, long hair, top of the left ear is flattened as if cut off, and pale brown/gold eyes (formerly SF3).
- RAC Rachna\*\*** (2000 ± 2yrs) adult: Small head, right hand missing 4 fingers, dark, deeply wrinkled face, long facial hair, relatively calm. Briefly seen in Sonso during 2018 but returned to Waibira.
- RIT Rita\*** (1990 ± 5yrs) adult: Dark long slim body and limbs, big pointy bright ears folded at the top (compare to body), small white beard. Distinctive vertical center dent on nose. Oestrus has a series of bumps/lumps on the right when swollen (*Had been double labeled as female GAY, Gaya with infant GOP, Gophin; also labeled in 2013 as AF, INF M (adult female with male infant)*).
- TIB Tibu** ♀ (RIT 1; 1998 ± 1yr) adult. Confirmed daughter to RIT 2019 genetics.
- ROB Robert** ♂ (RIT2; 2009 ± 1yr) subadult: flat protruded eye-brow ridge, big folded brown ears (like Rita’s). Oval eyes, deep dimples.
- RWZ Rwenzori** ♂ (RIT3; 15<sup>th</sup> Jul 2016 ± 1wk) infant.

## Waibira Community Chimpanzees

(Hobaiteer 2011; last update in April 2020)

**SAN Santa\*\*** (2000 ± 1year) adult: brown face, small bald patch on the forehead, snare injury to the right-leg, foot is there but twisted, walks on shin/ankle (first seen 2012).

*SDK Sadaka* ♂ (SAN1; 3yrs, 2015 ±6mo – Nov 2018). Name means the sacrifice or gift. Last seen with SAN on 9<sup>th</sup> Nov.

**SHY Shay\*** (1993 ± 3yrs) adult: Short white beard, bald large round head, protruded mouth with upturned (pig-like) nose, possible snare injury to left hand, stiff fingers.

**SUL Sula** ♀ (SHY1; 2010 ± 6mo) subadult: Very light brown face, big round eyes, prominently arched brow ridges.

**SHO Shon** ♂ (SHY2; 10<sup>th</sup> Oct 2017 ±1wk) First seen 10<sup>th</sup> Nov.

**SHU Shundo\*\*** (31yrs; 1987 ± 5yrs – 15<sup>th</sup> Jan 2018 ± 1day) adult: Large distinctive grown on swelling (Shundo means wart in Rukiga) Formerly SF1. Cause of death unknown - children seen without the mother on 16<sup>th</sup> Jan, both carrying infant. Infant disappeared after 2days.

**LAF Lafroig** ♂ (SHU1; 2003 ± 1yr), adult: Snare injury right hand. Black face with long smooth hair, big brown ears. Likely son Shundo, regularly seen with her in 2013 CT videos.

**SPN Spini** ♀ (SHU2; 2008 ± 1yr) subadult, long hair, dark face, moving with SDT.

**SDT Soldati** ♂ (SHU3; 2014 ± 6mo) juvenile. Moving with older sister SPN and LAF. Long hair and two clear narrow dark stripes either side of nose in otherwise pale face.

*SHU4 SHU4* (SHU4; Nov 2017 ± 2wks – 17<sup>th</sup> Jan 2018 ± 1day) unsexed. Seen being carried by siblings on 16<sup>th</sup> Jan and 17<sup>th</sup> Jan, but disappeared after.

**TAT Tatu\*** (1999 ± 1yrs) adult: left leg is missing from below the knee (Tatu means three). Has a round notch out of the right ear. Small dark face, long facial hair, relatively calm, can be followed on ground.

**TAT1 TAT1 ?** (TAT1; 21<sup>st</sup> August 2019 ±5 days; first seen 29/8/2019, last seen without 17/8/2019).

**TIB Tibu\*\*** (1998 ± 1yr) adult: very light brown face similar to KET, slim build, smooth hair, a little nervous, no snare injuries (Tibu means ‘to heal’).

**TBY Tembaya** ♂ (TIB1; 21<sup>st</sup> Sept 2016 ± 1wk), infant. Name means ‘to walk’ in honour of Waibira mornings.

**VET Vesta\*\*** (1990 ± 3yr) adult: seen over past 3-years with one son, now with 2<sup>nd</sup>. Both ears notched, pointy chin, small bald patch, grey hair on back and chubby belly.

**VIC Victor** ♂ (VET1; 2012 ± 1yr), juvenile.

*VET2 VET2* ♂ (VET2; 2017 ± 6mo - ???/2019), infant – not seen in December 2019.

**VIR Virunga\*\*\*** (1984 ± 3yrs) adult: Very strong, stocky body type. Bald head, large rounded ears, right one has part missing. Right hand wasted, especially 1<sup>st</sup> and 2<sup>nd</sup> fingers. Silver legs, large growth/lump on right at base of swelling. Only seen on camera traps until 2016. Seen on camera trap in 2017 with infant VIR2, and again with new infant VEL in 2018.

**VIN Vincent** ♂ (VIR1; 2012 ± 6mo), juvenile.

*VIR2 VIR2* ♂ (VIR2; 21<sup>st</sup> Sept 2016 ± 1mo - ?? 2017), infant.

**VEL Velu ?** (VIR3; 15 Sept 2018 ± 1mo), infant. Note: that Velu was confirmed on camera trap to be a third infant (previously confused with VIR2 who died between dry seasons)

## Waibira Community Chimpanzees

(Hobaïter 2011; last update in April 2020)

We still have several unknown, unnamed females; e.g. Adult female with the arm missing from the elbow. Family with the subadult female. Long-haired female. *Adult stranger: right ear folded/missing chunk, left ear folded with infant and juvenile male (now named: Vesta)*

### MALES

- ABO Abooki** (1997 ± 2yrs), adult: Small round head, thin and long body. Black face, mouth hangs open, eyes close together. Still a little nervous.
- AKL Akilli** (1986 ± 3yrs): *Big bodied, wide body and large square-face, short white bearded, huge nostrils (gorilla nose), mole on right cheek, (last seen in 2016).*
- ALF Alf** (1998 ± 1yr), adult: Pointy head, brown ears, triangle shaped nose and mouth, sunken cheeks, relatively bald head.
- AND Andrua** (ARU1; 2008 ± 1yr) subadult: Small widows peak, strong brow-ridge, fold across the inside centre of left ear, June 2012 – firstly seen with snare injury, missing left hand above wrist.
- ARD Ardbeg** (AKK1; 2005 ± 1yr) adult: Dent down middle of nose, relatively flat brow ridge, big ears.
- ATA Atayo** (1995 ± 1yr), adult: Snare injury to right hand (bald spot on wrist), left ear is cut. Brown face with dark patches on cheeks, big bodied with brownish body-hair, still nervous around observers. (not seen since August 2017).
- BEN Ben** (1992 ± 2yrs), adult: Very brown face and body, thin pale line from left eyebrow to cheek bone – old scar? Bald, sparse hair on back and head but with side burns, long large ears – stick out, shallow brow-ridge. Missing a part of the index finger on left hand. (Alpha from 2017)
- BRT Bright** (2010 ± 1yr), subadult: first seen January 2018, unclear if the son of a very peripheral female or an orphan. Watchful but relatively calm around observers. Very strong brow ridge, with distinctive M shape (wide space in the middle). Long hair around the face, small white beard, and large even ears with slight point to top.
- CAM Campbell** (2000 ± 1yr): *Brown face, prominent and round eye-brow ridge, vertical dent in middle of nose, small ears flat on sides of face, square muscle body (last seen 2013).*
- CHN Chandia** (1991 ± 3yrs), adult: Right ear semi-circle like Injury, eyebrow ridge protrudes, long facial hair, and diagonally arranged nostrils. Three middle toes are missing on left foot.
- DAU Daudi** ♂ (DAI1; 2004 ± 1yr), adult: Very pointy head, big brown circular ears, dimpled face, appears to have old snare injury to left hand. Often moves independently. (Daudi is the name David in Runyoro, David was chosen because he was courageous when young, going alone in the tree without his mother).
- DOU Douglas** (1976 ± 5yrs), adult: Full distinctive long white beard, small body size, bald patch on forehead, obvious small lump on the end of nose between the nostrils. Toes on right foot deformed, probable snare injury.
- DUN Dun-Edin** ♂ (DAD1; 2005 ± 1yr), adult: Long brown face, dark patches on both sides of nose, long round ears, nose and eye-brow ridge resembles Dada.
- EGU Eguma** (1993 ± 2yrs): *Skinny body, huge ears, bald head with longer hair from ears down, very large testes (possible illness?). Prominent heart-shaped brow ridge. Left-hand ring-finger (and possibly index-finger) appears bent, old injury (last seen Sept 2014).*

## Waibira Community Chimpanzees

(Hobaiteer 2011; last update in April 2020)

- ELG** *Elgin* (1983 ± 3yrs): Flat wide nose with V-shaped slit beneath it, wide bald patch with 3 visible lumps, left right and center, very wrinkled face. Short hair and facial hair, small flat ears. High-up in the hierarchy, big bodied. Very calm towards observers. (last seen Aug 2011).
- FID** **Fiddich** (2002 ± 1yr), adult: Black face with large belly and long hair, balding on top, very large round ears, right one with tear. Always seen alone with large adult males – possibly orphan/very young independent, small bodied. Very calm when observed.
- GER** **Gerald** (1993 ± 2yrs), adult: All toes are missing on left foot, big bodied, short facial hair (nicely shaped around the face), flat nose, and pointy mouth. Serious tear to right-side of mouth in 2014, lip now hangs open. Right hand middle finger doesn't bend.
- HAM** *Hamish* (1986 ± 5yrs): Dark, small and centered face, white beard, left ear shaped as a heart (Last seen May 2012).
- ILA** **Ila** (1999 ± 1yr), adult: Dark long face with long distinctive hair and small bald patch. Flat nose with elongated nostrils (resembles KID, might be her son; travels with her as a family group, begs from her etc.; confirmed 2019 genetics) and pointy ears.
- JNO** **Jino** ♂ (2008 ± 1yr), subadult: from 8th May 2015 JIN was seen regularly moving with this young juvenile (her infant or orphan is unclear).
- JRA** *Jura* (1966 ± 5 yrs): Older small-bodied male, distinctive but short white beard, very wrinkled face, short, scrubby hair sticks out, shallow-eyes under thick brow ridge. Flat nose with deep dent down centre (Last seen August 2011).
- KAS** **Kasongoire** (1995 ± 2yrs), adult: Small bodied, pointy head, bald patch on forehead, cut on upper part of left ear (might be an injury as a big part is missing), right pointy ear (possible older son to Kidepo - resembles her, travel/groom together).
- KEV** **Kevelee** (1981 ± 3yrs), adult: Large triangular shaped head – flat on top, slender neck. Ears flat to head, heart-shaped strong brow ridge, and short scrubby hair. (Alpha 2012 or earlier, until 2017).
- LAF** **Lafroig** (2003 ± 1yr), adult: Snare injury to right hand. Black face with long smooth hair, big brown ears. Confirmed in 2019 as likely son Shundo, regularly seen with her in 2013 CT videos.
- LAN** **Lahni** (LIR1; 2002 ± 1yr) adult: Brown long face, very large round ears. Long wrinkled/wizened face with close-set eyes. Snare wire around left four fingers just above thumb – Jul 2011 (Nov 2011- was first seen without the snare).
- LIL** **Lillo** (2009 ± 1yr), subadult. Seen regularly with the group since 2016 but not together with a female, orphan/son of very peripheral mother. Mouth often hangs open, strong heart-shaped brow, narrow face, small white beard.
- MAC** **Macallan** (1998 ± 1yr), adult: Long narrow face with some brown, two black patches either side of nose, long narrow smooth nose with angular nostrils, small white beard, long limbs, missing a part of the index finger and the thumb on left hand.
- MAP** *Mapasa* (1983 ± 4yrs): Stocky medium body; left ear tattered, folded on top and torn almost away at base; heart-shaped brow ridge, round eyes, small bleached white spots under nose. Very short white beard and relatively bald head. Snare injury to right hand.
- MAS** **Masariki** (2003 ± 1yr), adult: Very oval eyes, deep dimples, protruding eyebrow ridge, long facial hair, big protruding ears, bald patch with some thin hair.
- MER** **Merkley** (MSD1; 2008 ± 1yr), Subadult; brown freckled face, strong brow ridge like mother.

## Waibira Community Chimpanzees

(Hobaiteer 2011; last update in April 2020)

- MOR Morangie** (1984 ± 3yrs), adult: Heart-shaped brow ridge, round pale eyes (cataracts?). Distinctive white beard, big round ears. Hair on top of head sticks up.
- MUG Mugisha** (2003 ± 1yr), adult: white beard, still some white/pale skin around tail puff, brown face, big ears, long limbs, dark hair, quite calm.
- NAT Natan** (NEV1; 2006 ± 1 yr) subadult: Big ears, very independent, calm with observers.
- PHI Philipo** (PEN1; 2008 ± 1yr), subadult: Snare injury- missing left foot from the ankle down, long hair, big ears, lots of wrinkles on face. Jan 2013 was seen with a snare wire to right hand, as of Aug 2013 snare wire still there, wire gone Dec 2014.
- SAM Sam** (1999 ± 1yr), adult: Long dark face with long hair, head with big bald patch and big round ears with pink at edges. Extremely calm with observers.
- SDT Soldati** (SHU2; 2014 ± 6mo) juvenile. Son of Shundo, probably orphaned. Moving with older sister SPN and LAF. Long hair and two clear narrow dark stripes either side of nose in otherwise pale face.
- TAL Talisker** (1976 ± 5yrs), adult: Very dominant, large, adult male. Small white beard, pointy ears lie flat to the head with folded tops, small light patch under nose between nostrils, clear raised lump on brow ridge above right eye, some white to scerla.
- TRS Tristan** (1986 ± 5yrs), adult: Right ear has a deep fold – looks heart shaped, deep dimples, flat face, right brow-ridge has a clear dent, head is almost bald. Short index finger on left hand. Not seen since November 2017.
- URS Ursus** (1987 ± 3yrs), adult: “Bear like” head with small round ears and flat top, clear vertical dent in centre of nose, round eye-brow ridge.
- WAL Wallace* (1973 ± 5yrs): *Looks very like Jura but younger. Big bodied, long face, long limbs. Strong scrubby white beard, deep sunken eyes. Vertical slit like nostrils. Big ears flat to the head.*