

Identified Flora of the Budongo Forest Reserve

(Compiled by A.J. Plumptre; updated: C. Hobaiter December 2017)

Trees and Shrubs

<i>Botanical Name</i>	<i>Code</i>	<i>Botanical Name</i>	<i>Code</i>
<i>Acacia</i> spp.	Acs	<i>Chaetachme aristata</i>	Cha
<i>Acalypha</i> spp.*+ ¹	Acl	<i>Chrysophyllum albidum</i> *+	Cal
<i>Aidia micrantha</i>	Aim	<i>Chrysophyllum gorungosanum</i> *+	Cgo
<i>Alangium chinense</i>	Alc	<i>Chrysophyllum perpulchrum</i> *	Cpr
<i>Albizia</i> spp.	Alb	<i>Chrysophyllum muerense</i> *+	Cmu
<i>Albizia ferruginea</i> *	Af	<i>Chrysophyllum viridifolium</i>	Cvi
<i>Albizia coriaria</i>	Ac	<i>Citropsis articulata</i>	Cit
<i>Albizia gummifera</i>	Agu	<i>Clausena anisata</i>	Cla
<i>Albizia glaberrimes</i> +	Agl	<i>Cleistanthus polystachyus</i> *	Cpy
<i>Albizia zygia</i>	Az	<i>Cleistopholis patens</i> *+	Cp/Clp
<i>Alchornea floribunda</i>	Alf	<i>Cleoxylon hexandrum</i>	Cxh
<i>Alchornea laxiflora</i> ¹	Al	<i>Cola gigantea</i> *	Cog
<i>Allophylus dummeri</i>	Ald	<i>Combretum</i> spp.	Cms
<i>Alstonia boonei</i> *+	Ab	<i>Combretum binderanum</i>	Cob
<i>Aningeria altissima</i>	Aal	<i>Combretum collinum</i>	Cbc
<i>Annona (Lepsis) senegalensis</i>	Ans	<i>Combretum ghasalense</i>	Cgh
<i>Antrocarium micrantha</i> *+ (was <i>Lannea welwitschii</i>)	Anm	<i>Cordia africana</i> *+	Coa
<i>Antiaris toxicaria</i> *+	Ant	<i>Cordia millenii</i> *+	Com
<i>Antidesma laciniatum</i>	Anl	<i>Craibia brownii</i>	Crb
<i>Antidesma venosum</i>	Anv	<i>Cratera adansonii</i>	Cta
<i>Antiocarion</i> sp.	Anc	<i>Crossonephelis africanus</i>	Cra
<i>Aphania senegalensis</i>	Aps	<i>Croton macrostachys</i> *	Cmc
<i>Apodytes dimidiata</i>	Apd	<i>Croton megalocarpus</i> *	Cmg
<i>Argomuelleria macrophylla</i> ¹	Am	<i>Croton sylvaticus</i> *+	Csy
<i>Balanites aegyptiaca</i>	Bae	<i>Cynometra alexandrii</i> *+	Cya
<i>Balanites wilsoniana</i>	Bw	<i>Dasylepis eggelingii</i>	Dae
<i>Balsamocitrus dawei</i> *+	Bd	<i>Desplatsia chrysochlamys</i>	Dc
<i>Baphia wollastonii</i>	Bpw	<i>Desplatsia dewevrei</i> *+	Dd
<i>Bauhinia</i> sp.	Bau	<i>Dichrostachys cinerea</i>	Dcc
<i>Belonophora hypoglauca</i>	Beh	<i>Dictyandra arborescens</i>	Dar
<i>Belonophora glomerata</i>	Beg	<i>Diospyros abyssinica</i>	Dia
<i>Bequaerhodendron oblanceolatum</i> *	Beo	<i>Diospyros mespiliformis</i>	Dim
<i>Bersama abyssinica</i>	Bsa	<i>Dialium excelsa</i>	Dex
<i>Blighia unijugata</i>	Blu	<i>Dombeya burgessiae</i>	Dob
<i>Blighia welwitschii</i>	Blw	<i>Dombeya goetzenii</i>	Dog
<i>Bombax buonopozensis</i> *	Bob	<i>Dombeya mukole</i> +	Dom
<i>Bosquea phoberos</i> (now <i>Trilepisium madagascarensis</i>)	Bp	<i>Dovyalis macrocalyx</i> *	Dvm
<i>Bridelia brideliifolia</i>	Brb	<i>Drypetes</i> spp. (now <i>Putranjiva</i> spp)	Dsp
<i>Bridelia micrantha</i>	Brm	<i>Drypetes gerrandi</i> +(now <i>Putranjiva gerrandi</i>)	Dgr
<i>Broussonetia papyrifera</i> * -	Bpy	<i>Drypetes ugandensis</i> (now <i>Putranjiva ugandensis</i>)	Du
<i>Caloncoba schweinfurthii</i> *+	Cls	<i>Ehretia cymosa</i>	Ec
<i>Canarium schweinfurthii</i>	Cns	<i>Ekebergia capensis</i>	Ekc
<i>Canthium</i> spp.	Cth	<i>Ekebergia senegalensis</i>	Eks
<i>Canthium vulgare</i> *	Cav	<i>Entandrophragma angolense</i> *+	Ena
<i>Carica papaya</i> (paw paw) * -	Paw	<i>Entandrophragma cylindricum</i> *	Enc
<i>Cassia spectabilis</i>	Cs	<i>Entandrophragma utile</i> *	Enu
<i>Celtis africana</i>	Caf	<i>Erythrina excelsa</i>	Ee
<i>Celtis durandii/gomphophylla</i> *+	Cdu	<i>Erythrina abyssinica</i>	Ea
<i>Celtis mildbraedii</i> *+	Cmi	<i>Erythrophleum suaveolens</i> *+	Es
<i>Celtis wightii/philippensis</i> *+	Cwi	<i>Euadenia eminens</i>	Eu
<i>Celtis zenkeri</i> *+	Cze	<i>Euphorbia teke</i>	Et

Names and codes appearing in brackets represent the former names of those species. Species used by chimpanzees: * = eaten by the Sonso chimpanzees; + = eaten by Waibira chimpanzees to date; - = not present in Waibira; ¹ = leaves used for tools

<i>Botanical Name</i>	<i>Code</i>	<i>Botanical Name</i>	<i>Code</i>
<i>Fagara angolensis</i> (<i>Zanthoxylum angolensis</i>)	Fan	<i>Manilkara butugi</i>	Mb
<i>Fagara leprieurii</i> (<i>Zanthoxylum leprieurii</i>)	Fle	<i>Manilkara dawei</i>	Mad
<i>Fagara mildbraedii</i> (<i>Zanthoxylum mildbraedii</i>)	Fmi	<i>Manilkara obovata</i>	Mo
<i>Fagara macrophylla</i> (<i>Zanthoxylum macrophylla</i>)	Fma	<i>Margaritaria</i> (<i>Phyllanthus</i>) <i>discoideus</i>	Mdi (Phd)
<i>Fagaropsis angolensis</i>	Faa	<i>Markhamia platycalyx</i>	Mp
<i>Ficus</i> spp.*+	Fic	<i>Maytenus arguta</i>	Mya
<i>Ficus asperifolia</i> (<i>urceolaris</i>)*	Fa	<i>Melanodiscus</i> sp.	Mel
<i>Ficus barberi</i> *+	Fb	<i>Milettia</i> spp.	Mil
<i>Ficus exasperata</i> *+	Fe	<i>Mildbraediodendron excelsum</i> *+	Mie
<i>Ficus lingua</i> *+	Fl	<i>Milicia</i> (<i>Chlorophora</i>) <i>excelsa</i> *+	Mex/Chl
<i>Ficus mucoso</i> *+	Fm	<i>Mimulopsis</i> sp.	Mps
<i>Ficus natalensis</i> *+	Fn	<i>Mimusops bagshawei</i> *+	Mbg
<i>Ficus ottomaefolia</i> *+	Fo	<i>Mitragyna stipulosa</i>	Mst
<i>Ficus polita</i> *+	Fpo	<i>Monodora angolensis</i> *	Moa
<i>Ficus pseudomangifera</i>	Fps	<i>Monodora myristica</i> *	Mom
<i>Ficus sansibarica</i> (<i>brachylepsis</i>)*+	Fsa	<i>Morus lactea/mesozygia</i> *+	Mol
<i>Ficus stipulifera</i>	Fst	<i>Musanga cecropioides</i>	Mc
<i>Ficus saussureana</i> (<i>dawei/lutea</i>)*+	Fss	<i>Myrianthus holstii</i> *+ (<i>forest pineapple</i>)	Myh
<i>Ficus sur</i> (<i>capensis/vogelana</i>)*+	Fsu	<i>Neoboutonia macrocalyx</i>	Nm
<i>Ficus trichopoda</i> (<i>congensis</i>)	Ftr	<i>Newtonia buchananii</i>	Nb
<i>Ficus thonningii</i> *+	Fth	<i>Ochna membranacea</i>	Om
<i>Ficus variifolia</i> *+	Fvr	<i>Ochna schweinfurthii</i>	Osh
<i>Ficus vallis-choudae</i> *	Fvl	<i>Olea hochstetteri</i>	Olh
<i>Funtumia elastica</i>	Fue	<i>Olea africana</i>	Ola
<i>Funtumia africana</i>	Fua	<i>Olea welwitschii</i>	Olw
<i>Glyphaea brevis</i>	Gr	<i>Ouratea</i> spp.	Ous
<i>Greenwayodendron suaveolens</i>	Gs/Ggs	<i>Oncoba spinosa</i>	Ons
<i>Guarea cedrata</i>	Gc	<i>Oxyanthus speciosus</i>	Oxs
<i>Harungana madagascariensis</i>	Hm	<i>Oxyantalie</i> sp.	Oxa
<i>Holoptelea grandis</i>	Hg	<i>Pachystela brevipes</i>	Pcb
<i>Irvingia gabonensis</i> *+	Ig	<i>Pancovia turbinata</i>	Pat
<i>Khaya anthoteca</i> *+	Ka	<i>Parkia filicoidea</i> *	Pf
<i>Khaya grandifoliola</i>	Kg	<i>Parinari excelsa</i>	Pe
<i>Khaya senegalensis</i>	Ks	<i>Paropsia guineensis</i>	Pg
<i>Kigelia africana</i>	Kia	<i>Phyllanthus inflatus</i>	Phi
<i>Klainedoxa gabonensis</i> *+	Klg	<i>Picalima nitida</i> ('quinine')*	Pn
<i>Lannea barberi</i>	Lb	<i>Piptadeniastrum africanum</i>	Pa
<i>Lannea welwitschii</i> *+ (<i>now Antrocarium micrantha</i>)	Lw	<i>Pittosporum viridiflorum</i>	Pv
<i>Lacaniodiscus cupanioides</i>	Lc	<i>Premna angolensis</i>	Pa
<i>Lacaniodiscus fraxinifolia</i>	Lf	<i>Prunus africana</i>	Pra
<i>Lasiodiscus mildbraedii</i> *+ ¹	Lm	<i>Pseudospondias microcarpa</i> *+	Psm
<i>Leptaulus daphnoides</i>	Lpd	<i>Psidium guajava</i> *	Psg
<i>Leptonychia mildbraedii</i>	Lpm	<i>Pterygota mildbraedii</i>	Ptm
<i>Lindackeria schweinfurthii</i>	Lis	<i>Pyreantha staudtii</i>	Pys
<i>Linociera johnsonii</i>	Lj	<i>Pycnanthus angolensis</i>	Pya
<i>Linociera latipetala</i>	Ll	<i>Randia micrantha</i>	Rnm
<i>Lovoa swynnertonii</i>	Ls	<i>Raphia farinifera</i> * -	Rf
<i>Lovoa trichilioides</i> *	Lt	<i>Rauvolfia vomitoria</i>	Rv
<i>Lychnodiscus cerospermus</i>	Lyc	<i>Ricinodendron heudelotii</i> *	Rh
<i>Macaranga barberi</i>	Mbr	<i>Rinorea ardisiaeflora</i>	Ri
<i>Macaranga lancifolia</i>	Ml	<i>Rinorea brachypetula</i>	Rib
<i>Macaranga schweinfurthii</i> *	Ms	<i>Rinorea dentata</i>	Rid
<i>Maerua duchesnei</i>	Md	<i>Rinorea ilicifolia</i>	Rii
<i>Maesopsis eminii</i> *+	Me	<i>Rinorea oblongifolia</i>	Rio
<i>Majidea fosteri</i>	Mf	<i>Ritchiea albersii</i>	Ra
<i>Mallotus oppositifolia</i>	Mao	<i>Rothmania urcelliformis</i>	Rtu
<i>Mammea africana</i> *+	Ma	<i>Sapium ellipticum</i>	Se
<i>Mango mangifera</i> *-	Mma	<i>Schrebera arborea</i>	Sa
		<i>Scolopia</i> sp.	Scs

Names and codes appearing in brackets represent the former names of those species. Species used by chimpanzees: * = eaten by the Sonso chimpanzees; + = eaten by Waibira chimpanzees to date; - = not present in Waibira; ¹ = leaves used for tools

<i>Botanical Name</i>	<i>Code</i>		
<i>Solanum wightii</i>	Sol		
<i>Spathodea campanulata</i>	Sc		
<i>Staudtia kamerunensis</i>	Sk		
<i>Sterculia dawei</i> *+	Std		
<i>Stereospermum kunthianum</i>	Stk		
<i>Strychnos mitis</i> *+	Sm		
<i>Symphonia globulifera</i>	Sg		
<i>Suregada procera</i>	Spr		
<i>Syzygium guinense</i> *	Szg		
<i>Tabernaemontana holstii</i>	Th		
<i>Tapura fischeri</i>	Taf		
<i>Teclea nobilis</i> *	Tn		
<i>Terminalia brownii</i>	Tb		
<i>Terminalia glaucescens</i>	Tg		
<i>Tetrorchidium didymostemon</i>	Td		
<i>Tetrapleura tetraptera</i>	Tt		
<i>Treculia africana</i> * (wild jackfruit)	Tra		
<i>Trema orientalis</i>	To		
<i>Trichilia sp.</i> *+	Tri sp.		
<i>Trichilia dregeana</i> *yl	Trd		
<i>Trichilia priuriana</i>	Trp		
<i>Trichilia rubescens</i> *+	Trr		
<i>Trichocladus ellipticus</i>	Tce		
<i>Turrea vogelioidestrobusta</i>	Tv		
<i>Turraea robusta</i>	Tro		
<i>Uvaria welwitschii</i>	Uw		
<i>Uvariopsis congensis</i> *+	Uc		
<i>Uvarioidendron magnificum</i>	Um		
<i>Vangueria apiculata</i>	Va		
<i>Vitex ferruginaea (adansonii)</i>	Vf		
<i>Vitex doniana</i>	Vd		
<i>Warburgia ugandensis</i>	Wu		
<i>Zanha golungensis</i>	Zg		
		<u>Climbers</u>	
		Climber general*+	Cli
		<i>Alaphia sp.</i> *+	Alp
		<i>Allophyllus abyssinica</i>	Ala
		<i>Basella alba</i> *	Ba
		<i>Cyphostemma sp.</i>	Cyp
		<i>Grewia calymatosepala</i>	Crc
		<i>Mikania cordata</i>	Mic
		<i>Piper guineense</i> *	Ppg
		<i>Saba florida</i>	Sab
		<i>Tragia sp.</i>	Trg
		<i>Uncaria africana</i>	Una
		<i>Urera camaroonensis/trinervis</i> *+	Urc
		<i>Uvaria angolenis</i>	Uva
		<u>Herbs</u>	
		<i>Coffea sp.</i>	Cos
		<i>Coffea canephora</i>	Cca
		<i>Coffea robusta</i>	Cor
		<i>Pennisetum purpureum</i>	Ppr
		<u>Others</u>	
		Epiphyte*+ (tree cabbage)	Epi
		Bryophytes	Brp
		Mushrooms	Msh
		Moss	Mss
		Sugar Cane*-	Sugarcane
		Paw paw (papaya)*-	Paw
		Leptosporangiate sp (fern)*	Fer
		Costus sp*	Cos
		Marantochloa*	Mrt
		Megafaunium*+	Mgf
		Aframomum sp*+ ¹	Afm
		Terrestrial herbaceous vegetation	Thv
		Unknown species	Unk